

VZ BERLINA/CALAIS DASH POD

Part No: SGP5108

Installation Instructions

v20240701


Important notes before installing:

- All installation work should be done by a qualified professional to avoid damage to this product.
- This product is supplied raw with a brushed surface finish and may discolour or warp if exposed to direct sunlight for long periods. To avoid this, SAAS recommends colour matching this product to suit your vehicles interior, and using a **SUN SHADE** to protect the dash pod and gauges from extreme heat!
- Always clean surfaces with isopropyl alcohol or similar **before** attaching any parts!
- See SAAS website (shopsaas.com) for full colour fitting instructions.

Fitting and Painting Tips:

- Always test fit products before painting!
- For best painting results, use a scotch pad to lightly scuff the surface, then clean with a wax and grease remover before applying a plastic primer and then your colour.

Dash Pod Assembly:




Note: Insert screws until gauge cup is firm. **DO NOT OVER TIGHTEN SCREWS.**

For further assistance email: tech@saasautomotive.com.au


Fitting Steps:

- 1 Remove the factory dash storage compartment.
- 2 Flip the dash surround over and fit the dash pod brackets in the locations shown below making sure the brackets are flush with the underside.




- 3 Flip the dash surround over to make sure the dash pod brackets are in the same position as shown below.

The dash pod brackets should almost be flush with the top of the dash surround surface.



- 4 Fit the dash bracket to the dash surround as show below using 2 of the factory screws.

CAUTION: The factory dash plastics may be brittle, do not over tighten the screws!



- 5 Fit the dash surround to the vehicle using 2 of the factory screws to hold the top of the dash surround in position as shown below.



For further assistance email: tech@saasautomotive.com.au

Fitting Steps:


- **6** Assemble the gauge cups to the dash pod.
See page 1 for cup assembly.

- **7** **Before** removing the adhesive tape, test fit the dash pod.



- **8** Remove the backing tape, fit the dash pod to the dash surround and press down **GENTLY!**

Tip: We recommend fitting the dash pod **after** you have installed and tested your gauges.




- Removing the dash pod.

To remove the dash pod once fitted, lift up one corner at a time **gently** until the self locking fasteners release.



Installing Gauges to Cups:

- The supplied o-rings (one for each gauge) are used to fit gauges to cups. The placement of the o-ring will determine how tight the gauge will sit in the cup. (refer to diagram)



Warranty Terms & Conditions:

SAAS Automotive Pty Ltd warrants this product against defects in factory workmanship and materials for a period of twelve (12) months from the date of original purchase. This warranty applies to the first retail purchaser, is non-transferable and covers only where the product has been subjected to normal use or service. Provision of this warranty shall not apply to any SAAS Automotive product that has been used for a purpose for which it is not designed, or which has been altered in any way that would be detrimental to the performance or life of the product, or misapplication, misuse, negligence or accident. Warranty claims to the manufacturer must be transportation prepaid and accompanied with dated proof of purchase. On any part or product found to be defective after examination by SAAS Automotive Pty Ltd, SAAS Automotive Pty Ltd will only repair or replace the merchandise through the original selling dealer or on a direct basis. SAAS Automotive Pty Ltd assumes no responsibility for diagnosis, removal and/or installation labour, loss of vehicle use, loss of time, inconvenience or any other consequential expenses. The warranties herein are in lieu of any other expressed or implied warranties, including any implied warranty of suitability, and any other obligation on the part of SAAS Automotive Pty Ltd, or the selling dealer.

For further assistance email: tech@saasautomotive.com.au



SINCE 1954

SAAS Automotive PTY LTD
25 Metrolink Circuit West, Campbellfield,
Victoria 3061 Australia

ABN: 48166279670
ACN: 166279670

Phone: +61 3 9930 0100
Fax: +61 3 8339 2270
Email: tech@saasautomotive.com.au
Web: www.shopsaas.com